AUTHOR INDEX TO VOLUME 160

Abe, M., K. Kumagai, S. Awaji and T. Fujita, Cu-NMR studies of $Nd_{2-x}Ce_xCuO_{4-y}$ 160 (1989) 8
Adachi, H., see K. Hirochi 160 (1989) 273
Agarwal, S.K., V.P.S. Awana, V.N. Moorthy, P. Maruthi Kumar, B.V. Kumaraswamy, C.V. Narasimha Rao and A.V. Narlikar, Superconductivity above 90 K in low T_c phase $Bi_2Ca_1Sr_2Cu_2O_x$ 160 (1989) 278
Agarwal, S.K., see C.V. Narasimha Rao 160 (1989) 365
Aguillon, C., see L. Fruchter 160 (1989) 185
Akimitsu, J., see F. Izumi 160 (1989) 235
Almasan, C., see J. Stankowski 160 (1989) 170
Aminov, B.A., N.B. Brandt, N.M. Thuy, Ya.G. Ponomarev, M.V. Sudakova, A.R. Kaul, I.E. Graboi, Yu.D. Tretiakov, J. Wittig, S.P. Kobeleva, L.M. Fisher and L. Rosta, Temperature dependence of the critical current in $YBa_2Cu_3O_{7-\delta}$ and $Bi_2Sr_2Ca_1Cu_2O_8$ Josephson junctions 160 (1989) 505
Andersen, N.H., see J. Waliszewski 160 (1989) 189
Andersson, M., Z. Hegedü, M. Nygren and Ö. Rapp, Structural, thermal and electrical studies of the $Y_{1-2x}Ca_xTh_xBa_2Cu_3O_{7-\delta}$ system with $0 \leq x \leq 0.20$ 160 (1989) 65
Andrikidis, C., see G.B. Smith 160 (1989) 333
Aoki, I., see M. Itoh 160 (1989) 177
Apperley, M.H., see S.X. Dou 160 (1989) 533
Arons, R.R., see K. Fischer 160 (1989) 466
Asano, H., see F. Izumi 160 (1989) 235
Awaji, S., see M. Abe 160 (1989) 8
Awana, V.P.S., see S.K. Agarwal 160 (1989) 278
Awana, V.P.S., see C.V. Narasimha Rao 160 (1989) 365
Ayoub, N.Y., see E.A. Early 160 (1989) 320

Bamba, N., see H. Maruyama 160 (1989) 524
Barczynski, R.J., see B. Kusz 160 (1989) 25
Baszynski, J., see J. Stankowski 160 (1989) 170
Batlogg, B., see C.H. Chen 160 (1989) 375
Baughman, R.J., see D.S. Ginley 160 (1989) 42
Beille, J., see E.A. Early 160 (1989) 320
Bell, J.M., see G.B. Smith 160 (1989) 333
Bertomptto, A., J. Hammann, D. Luzet and E. Vincent, Structure of a new type of satellite phase in $YBa_2Cu_3O_{7-\delta}$ 160 (1989) 227
Bjørnholm, T., see S. Ghamaty 160 (1989) 217
Bocquet, A.E., P. Chalker, J.F. Dobson, P.C. Healy, S. Myhra and J.G. Thompson, X-ray photoelectron spectra of perovskite-type cobalt oxides $La_{1-x}Sr_xCoO_{3-y}$ ($x=0.4$, 0.6) 160 (1989) 252
Boley, M.S., see D. Shi 160 (1989) 417
Brandt, N.B., see B.A. Aminov 160 (1989) 505
Bratsberg, H., see Z.J. Yang 160 (1989) 461

Bryksin, V.V., A.V. Goltsev and S.N. Dorogóvtsev, Properties of superconducting networks with large Josephson junctions 160 (1989) 103
Bucher, B., see J. Karpinski 160 (1989) 449
Budnick, J.I., see Z. Tan 160 (1989) 571
Bush, P., see Y. Gao 160 (1989) 431
Butera, A., A. Caneiro, M.T. Causa, L.B. Steren, R. Zysler, M. Tovar and S.B. Oseroff, Depression of the weak-ferromagnetism of CuO_2 planes in Gd_2CuO_4 through Ce and Th doping 160 (1989) 341
Butorin, S.M., see V.R. Galakhov 160 (1989) 267

Campbell, I.A., see L. Fruchter 160 (1989) 185
Caneiro, A., see A. Butera 160 (1989) 341
Causa, M.T., see A. Butera 160 (1989) 341
Chalker, P., see A.E. Bocquet 160 (1989) 252
Chamberland, B.L., see Z. Tan 160 (1989) 571
Chen, C.H., D.J. Werder, A.C.W.P. James, D.W. Murphy, S. Zahurak, R.M. Fleming, B. Batlogg and L.F. Schneemeyer, Superlattice modulation and superconductivity in the electron-doped $Nd_2CuO_{4-x}F_x$ and $Nd_{2-x}Ce_xCuO_4$ systems 160 (1989) 375
Chen, C.H., see D.J. Werder 160 (1989) 411
Cheong, S.-W., see S. Skanthakumar 160 (1989) 124
Choi, J.-S., see R. Kikuchi 160 (1989) 347
Chopra, K.L., see B.K. Roul 160 (1989) 439
Clinton, T.W., see S. Skanthakumar 160 (1989) 124
Coppens, P., see Y. Gao 160 (1989) 431
Crepeau, R.H., see A. Dulcic 160 (1989) 223
Czyzak, B., see J. Stankowski 160 (1989) 170

Dabrowski, B., D.R. Richards, D.G. Hinks, R.H. Hannon, W. Peng, H. Lee, A.P. Genis, V.J. Melim and C.W. Kimball, Superconducting behavior and chemistry of $Pb_{0.3}Bi_{1.8-x}Sb_xSr_{1.9}Ca_2Cu_3O_y$ 160 (1989) 281
Dalvi, A.G.I., see M.D. Sastry 160 (1989) 69
Datta, T., see J. Stankowski 160 (1989) 170
Davidović, G.S., see Lj.M. Ristovski 160 (1989) 548
Davoli, I., see B. Kusz 160 (1989) 25
Deline, V., see W.Y. Lee 160 (1989) 511
Derory, A., see S. Vilminot 160 (1989) 575
Dobrzyński, L., see J. Waliszewski 160 (1989) 189
Dobson, J.F., see A.E. Bocquet 160 (1989) 252
Dorogóvtsev, S.N., see V.V. Bryksin 160 (1989) 103
Dossmann, Y., see S. Vilminot 160 (1989) 575
Dou, S.X., K.H. Song, H.K. Liu, C.C. Sorrell, M.H. Apperley, A.J. Gouch, N. Savvides and D.W. Hensley, The interaction of Ag with Bi–Pb–Sr–Ca–Cu–O superconductor 160 (1989) 533
Drillon, M., see S. Vilminot 160 (1989) 575
Dulcic, A., R.H. Crepeau and J.H. Freed, Discrete microwave absorption lines in $YBa_2Cu_3O_{7-\delta}$ single crystals 160 (1989) 223
Duran, J., see W.Y. Lee 160 (1989) 511

Early, E.A., see S. Ghamaty 160 (1989) 217
Early, E.A., N.Y. Ayoub, J. Beille, J.T. Markert and M.B. Maple, $Sm_{1.85}Th_{0.15}CuO_{4-y}$: a new electron-doped copper oxide superconductor 160 (1989) 320
Ekin, J.W., T.M. Larson, A.M. Hermann, Z.Z. Sheng, K. Togano and H. Kumakura, Double-step behavior of critical current vs. magnetic field in Y-, Bi- and Tl-based bulk high-T_c superconductors 160 (1989) 489
Elsbernd, C.E., see M.-Y. Su 160 (1989) 114
Eskes, H., G.A. Sawatzky and L.F. Feiner, Effective transfer for singlets formed by hole doping in the high-T_c superconductors 160 (1989) 424

Feiner, L.F., see H. Eskes 160 (1989) 424
Filipczuk, S.W., see G.B. Smith 160 (1989) 333
Finkelstein, L.D., see V.R. Galakhov 160 (1989) 267
Finnemore, D.K., see M. Wacenovsky 160 (1989) 55
Fischer, K., A. Rojek, S. Thierfeldt, H. Lippert and R.R. Arons, Tracking the formation of 2223 BiSrCaCu oxygen compounds by resistivity and susceptibility measurements reaching $T_c(0)=115$ K 160 (1989) 466
Fisher, L.M., see B.A. Aminov 160 (1989) 505
Fisk, Z., see S. Skanthakumar 160 (1989) 124
Fleming, R.M., see C.H. Chen 160 (1989) 375
Flensberg, K. and P. Hedegård, RVB superconductors and tunnel junctions 160 (1989) 89
Freed, J.H., see A. Dulcic 160 (1989) 223
Fröhlich, K., see F. Gömöry 160 (1989) 1
Fruchter, L., C. Aguillon, S. Senoussi and I.A. Campbell, Parallel and perpendicular magnetization on YBaCuO single crystals in the irreversible regime 160 (1989) 185
Fujimoto, H., see H. Matsuyama 160 (1989) 567
Fujita, T., see M. Abe 160 (1989) 8
Fukami, T., T. Kamura, T. Yamamoto and S. Mase, Mechanism of characteristic shape of resistive transition in $Bi_2Sr_2CaCu_2O_8$ films made by the laser evaporation 160 (1989) 391
Fukuoka, A., see S. Kambe 160 (1989) 35
Fung, K.K., see C.Y. Yang 160 (1989) 161

Gadkari, S.C., K.P. Muthe, S.K. Gupta, S.C. Sabharwal and M.K. Gupta, Magnetoresistance studies on the $Bi_2Sr_2CaCu_2O_x$ superconductor 160 (1989) 167
Galakhov, V.R., S.M. Butorin, L.D. Finkelstein, E.Z. Kurmaev, Yu.M. Yarmoshenko, V.A. Trofimova and V.L. Kozhevnikov, X-ray spectra and electronic structure of high-T_c superconductors $La_{1.83}Sr_{0.17}CuO_4$ and $Bi_4Ca_3Sr_3Cu_4O_{16}$ 160 (1989) 267
Galasiewicz, Z.M., Remark about influence of the phonon-charged boson interaction on the isotope effect 160 (1989) 314
Gangadharan, K., see R.M. Iyer 160 (1989) 155
Gao, Y., P. Lee, J. Ye, P. Bush, V. Petricek and P. Coppens, The incommensurate modulation in the $Bi_2Sr_{2-x}Ca_xCuO_6$ superconductor, and its relation to the modulation in $Bi_2Sr_{2-x}Ca_xCu_2O_8$ 160 (1989) 431
Gasparov, L.V., V.D. Kulakovskii, O.V. Misochko, A.A. Polyanskii and V.B. Timofeev, Raman study of Tl-based superconducting single crystals: phonons assignment and temperature dependence 160 (1989) 147
Gazda, M., see B. Kusz 160 (1989) 25

Genis, A.P., see B. Dabrowski 160 (1989) 281
Ghamaty, S., B.W. Lee, J.T. Markert, E.A. Early, T. Bjørnholm, C.L. Seaman and M.B. Maple, Low temperature specific heat of Ln_2CuO_4 (Ln=Pr, Nd, Sm, Eu and Gd) and $Nd_{1.85}M_{0.15}CuO_{4-y}$ (M=Ce and Th) 160 (1989) 217
Giessen, B.C., see R.S. Markiewicz 160 (1989) 497
Ginley, D.S., J.F. Kwak, E.L. Venturini, B. Morosin and R.J. Baughman, Morphology control and high critical currents in superconducting thin films in the Tl–Ca–Ba–Cu–O system 160 (1989) 42
Gledel, C., see J.-F. Marucco 160 (1989) 73
Goltsev, A.V., see V.V. Bryksin 160 (1989) 103
Gömöry, F., S. Takács, P. Lobotka, K. Fröhlich and V. Plecháček, AC magnetization of high T_c superconductors at low superimposed dc magnetic fields 160 (1989) 1
Gotoh, S., see T. Miyatake 160 (1989) 541
Gouch, A.J., see S.X. Dou 160 (1989) 533
Graboi, I.E., see B.A. Aminov 160 (1989) 505
Green, M., see T. Nonaka 160 (1989) 517
Groshev, A. and T. Hristov, Shapiro steps without RF source by coupling of Josephson and piezo oscillators 160 (1989) 317
Gumbar, P.K., see S.P. Tewari 160 (1989) 545
Gupta, M., see R.P. Gupta 160 (1989) 129
Gupta, M.K., see S.C. Gadkari 160 (1989) 167
Gupta, R.P. and M. Gupta, Role of the electronic structure on the possibility of electron versus hole doping in superconducting Nd_2CuO_4 160 (1989) 129
Gupta, S.K., see S.C. Gadkari 160 (1989) 167
Gurvitch, M., see D.J. Werder 160 (1989) 411
Gzowski, O., see B. Kusz 160 (1989) 25

Hagberg, J., A. Uusimäki, J. Levoska and S. Leppävuori, Preparation of Bi–Pb–Sr–Ca–Cu–O high T_c superconducting material via oxalate route at various pH values 160 (1989) 369
Hammann, J., see A. Bertomptto 160 (1989) 227
Hannon, R.H., see B. Dabrowski 160 (1989) 281
Hasegawa, T., see T. Nonaka 160 (1989) 517
Hayashi, S., see K. Hirochi 160 (1989) 273
Healy, P.C., see A.E. Bocquet 160 (1989) 252
Hedegård, P., see K. Flensberg 160 (1989) 89
Hegedü, Z., see M. Andersson 160 (1989) 65
Helgesen, G., see Z.J. Yang 160 (1989) 461
Hensley, D.W., see S.X. Dou 160 (1989) 533
Hermann, A.M., see J. Stankowski 160 (1989) 170
Hermann, A.M., see J.W. Ekin 160 (1989) 489
Herron, N., see D. Jung 160 (1989) 381
Hinks, D.G., see B. Dabrowski 160 (1989) 281
Hiraga, K., see S. Nakajima 160 (1989) 458
Hirao, T., see K. Hirochi 160 (1989) 273
Hirochi, K., S. Hayashi, H. Adachi, T. Mitsuyu, T. Hirao, K. Setsune and K. Wasa, Optical properties of $Nd_{2-x}Ce_xCuO_4$ thin films 160 (1989) 273
Hizhnyakov, V., N. Kristoffel and E. Sigmund, On the percolation induced conductivity in high-T_c superconducting materials 160 (1989) 119

Hodges, J.A., P. Imbert, J.B. Marimon Da Cunha and J.P. Sanchez, ^{166}Er Mössbauer absorption in $ErBa_2Cu_3O_{7-x}$ 160 (1989) 49
Hristov, T., see A. Groshev 160 (1989) 317
Hu, S., see Y. Zhao 160 (1989) 361
Huang, T.C., see E. Moran 160 (1989) 30
Huang, T.C., see W.Y. Lee 160 (1989) 511
Hyun, O.B., see M. Wacenovsky 160 (1989) 55

Ihringer, J., see J. Waliszewski 160 (1989) 189
Imbert, P., see J.A. Hodges 160 (1989) 49
Inokuchi, H., see H. Matsuyama 160 (1989) 567
Irkhin, V.Yu., M.I. Katsnelson and A.V. Trefilov, On the reconstruction of the conduction electron spectrum in metal-oxide superconductors owing to the interaction with coherent atomic displacements 160 (1989) 397
Ishii, T., see H. Maruyama 160 (1989) 524
Ishikawa, M., see L. Rebelsky 160 (1989) 197
Itoh, M., K. Karashima, M. Kyogoku and I. Aoki, Cu NQR investigations of the R^{3+} paramagnetic fluctuations in high-T_c superconductors $RBa_2Cu_3O_{7-y}$ (R: rare earth) 160 (1989) 177
Iyer, R.M., see M.D. Sastry 160 (1989) 69
Iyer, R.M., G.M. Phatak, K. Gangadharan, M.D. Sastry, R.M. Kadam, P.V.P.S.S. Sastry and J.V. Yakhmi, Superconducting transition temperature of single-phase Tl-2223: crucial role of Ca-vacancies and Tl-content 160 (1989) 155
Izumi, F., H. Kito, H. Sawa, J. Akimitsu and H. Asano, Oxygen deficiency and atomic displacements in superconducting $(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+z}$ 160 (1989) 235

James, A.C.W.P., see C.H. Chen 160 (1989) 375
Jayaram, B., P.C. Lanchester and M.T. Weller, Superconductivity and localisation in $Bi_2Sr_2Ca_{1-x}RE_xO_{8+d}$ (RE=Nd, Sm, Gd and Dy) system 160 (1989) 17
Jilek, E., see J. Karpinski 160 (1989) 449
Johansen, T.H., see Z.J. Yang 160 (1989) 461
Jung, D., M.-H. Whangbo, N. Herron and C.C. Torardi, Difference between single and double Tl–O layers for generating holes in Tl-based copper-oxide superconductors 160 (1989) 381

Kachi, T., see M. Ohkubo 160 (1989) 480
Kadam, R.M., see R.M. Iyer 160 (1989) 155
Kaldis, E., see J. Karpinski 160 (1989) 449
Kambe, S., K. Kitazawa, M. Naito, A. Fukuoka, I. Tanaka and H. Kojima, Anisotropic resistivity in the two-dimensional metal $(La_{1-x}Sr_x)_2CuO_4$ 160 (1989) 35
Kambe, S., M. Naito, K. Kitazawa, I. Tanaka and H. Kojima, Broadening of the fluctuation region under magnetic field in (La, Sr)$_2)_2CuO_4$ single crystal 160 (1989) 243
Kamura, T., see T. Fukami 160 (1989) 391
Kaneko, K., see T. Nonaka 160 (1989) 517
Karashima, K., see M. Itoh 160 (1989) 177
Karpinski, J., S. Rusiecki, E. Kaldis, B. Bucher and E. Jilek, Phase diagrams of $YBa_2Cu_4O_8$ and $YBa_2Cu_{3.5}O_{7.5}$ in the pressure range 1 bar$\leq P_{O_2} \leq$3000 bar 160 (1989) 449
Kashiwakura, T., see H. Matsuyama 160 (1989) 567
Katayama-Yoshida, H., see H. Matsuyama 160 (1989) 567

Katsnelson, M.I., see V.Yu. Irkhin 160 (1989) 397
Kaul, A.R., see B.A. Aminov 160 (1989) 505
Kikuchi, M., see S. Nakajima 160 (1989) 458
Kikuchi, R. and J.-S. Choi, Low temperature behavior of the $YBa_2Cu_3O_{6+2x}$ phase diagram 160 (1989) 347
Kimball, C.W., see B. Dabrowski 160 (1989) 281
Kimishima, Y. and H. Kittaka, Antiferromagnetic phase transition in $Bi_2Sr_2YCu_2O_{8.37}$ 160 (1989) 136
Kishio, K., see T. Nonaka 160 (1989) 517
Kitazawa, K., see S. Kambe 160 (1989) 35
Kitazawa, K., see S. Kambe 160 (1989) 243
Kitazawa, K., see T. Nonaka 160 (1989) 517
Kito, H., see F. Izumi 160 (1989) 235
Kittaka, H., see Y. Kimishima 160 (1989) 136
Kobayashi, K., see T. Nonaka 160 (1989) 517
Kobayashi, N., see S. Nakajima 160 (1989) 458
Kobeleva, S.P., see B.A. Aminov 160 (1989) 505
Koizumi, A., see H. Maruyama 160 (1989) 524
Kojima, H., see S. Kambe 160 (1989) 35
Kojima, H., see S. Kambe 160 (1989) 243
Koshizuka, N., see T. Miyatake 160 (1989) 541
Kosugi, N., see H. Matsuyama 160 (1989) 567
Kozhevnikov, V.L., see V.R. Galakhov 160 (1989) 267
Kristoffel, N., see V. Hizhnyakov 160 (1989) 119
Krupski, M., see J. Stankowski 160 (1989) 170
Kuentzler, R., see S. Vilminot 160 (1989) 575
Kulakovskii, V.D., see L.V. Gasparov 160 (1989) 147
Kumagai, K., see M. Abe 160 (1989) 8
Kumakura, H., see J.W. Ekin 160 (1989) 489
Kumaraswamy, B.V., see S.K. Agarwal 160 (1989) 278
Kurmaev, E.Z., see V.R. Galakhov 160 (1989) 267
Kusz, B., R.J. Barczynski, M. Gazda, L. Murawski, O. Gzowski, S. Stizza and I. Davoli, Superconducting and anelastic effects in Pb–doped BiSrCaCuO ceramics 160 (1989) 25
Kwak, J.F., see D.S. Ginley 160 (1989) 42
Kyogoku, M., see M. Itoh 160 (1989) 177

Lanchester, P.C., see B. Jayaram 160 (1989) 17
Larson, T.M., see J.W. Ekin 160 (1989) 489
Lebech, B., see J. Waliszewski 160 (1989) 189
Lee, B.S., Possible local instability mode coupling mechanism for high temperature superconductivity in La–Sr–Cu–O 160 (1989) 141
Lee, B.W., see S. Ghamaty 160 (1989) 217
Lee, H., see B. Dabrowski 160 (1989) 281
Lee, P., see Y. Gao 160 (1989) 431
Lee, V., see W.Y. Lee 160 (1989) 511
Lee, W.Y., J. Salem, V. Lee, V. Deline, T.C. Huang, R. Savoy, J. Duran and R.L. Sandstrom, The effects of substrate temperature on the superconducting properties of $Tl_2Ca_2Ba_2Cu_3O_{10}$ films sputter-deposited from stoichiometric oxide targets 160 (1989) 511
Leppävuori, S., see J. Hagberg 160 (1989) 369

Levoska, J., see J. Hagberg 160 (1989) 369
Li, W.-H., see S. Skanthakumar 160 (1989) 124
Lippert, H., see K. Fischer 160 (1989) 466
Liu, H.K., see S.X. Dou 160 (1989) 533
Lobotka, P., see F. Gömöry 160 (1989) 1
Luzet, D., see A. Bertomptto 160 (1989) 227
Lynn, J.W., see S. Skanthakumar 160 (1989) 124

Maeda, A., Y. Nakayama, S. Takebayashi and K. Uchinokura, $1/f$ conduction noise in the high-temperature superconductor Bi–Sr–Ca–Cu–O system 160 (1989) 443
Maeda, H., see H. Maruyama 160 (1989) 524
Maksimov, A.A., I.I. Tartakovskii and V.B. Timofeev, Magnon Raman scattering in La_2CuO_4, Gd_2CuO_4 and Eu_2CuO_4 single crystals 160 (1989) 249
Maple, M.B., see S. Ghamaty 160 (1989) 217
Maple, M.B., see E.A. Early 160 (1989) 320
Marimon Da Cunha, J.B., see J.A. Hodges 160 (1989) 49
Markert, J.T., see S. Ghamaty 160 (1989) 217
Markert, J.T., see E.A. Early 160 (1989) 320
Markiewicz, R.S. and B.C. Giessen, Correlation of T_c with structure in the density of states in the new high-T_c superconductors 160 (1989) 497
Marsiglio, F., Eliashberg theory of superconductivity with repulsive Coulomb enhancement 160 (1989) 305
Marucco, J.-F. and C. Gledel, Non-stoichiometry and thermodynamics of defects in the system $YBa_2Cu_3O_z$ 160 (1989) 73
Maruthi Kumar, P., see S.K. Agarwal 160 (1989) 278
Maruthi Kumar, P., see C.V. Narasimha Rao 160 (1989) 365
Maruyama, H., T. Ishii, N. Bamba, H. Maeda, A. Koizumi, Y. Yoshikawa and H. Yamazaki, Temperature dependence of the EXAFS spectrum in $YBa_2Cu_3O_{7-\delta}$ compounds 160 (1989) 524
Mase, S., see T. Fukami 160 (1989) 391
Mason, T.O., see M.-Y. Su 160 (1989) 114
Matsushita, T., Elastic modulus of fluxoid lattice in type II superconductors 160 (1989) 328
Matsuyama, H., T. Takahashi, H. Katayama-Yoshida, T. Kashiwakura, Y. Okabe, S. Sato, N. Kosugi, A. Yagishita, K. Tanaka, H. Fujimoto and H. Inokuchi, Impurity-state-like nature of Fermi-liquid states in $Bi_2Sr_2CaCu_2O_8$ observed by photoemission and X-ray absorption 160 (1989) 567
Melim, V.J., see B. Dabrowski 160 (1989) 281
Mereiter, K., see M. Wacenovsky 160 (1989) 55
Miller, B., see D.J. Werder 160 (1989) 411
Misochko, O.V., see L.V. Gasparov 160 (1989) 147
Mitsuyu, T., see K. Hirochi 160 (1989) 273
Miyatake, T., K. Yamaguchi, T. Takata, S. Gotoh, N. Koshizuka and S. Tanaka, Preparation and superconducting properties of $YBa_2Cu_4O_8$ 160 (1989) 541
Moorthy, V.N., see S.K. Agarwal 160 (1989) 278
Moran, E., A.I. Nazzal, T.C. Huang and J.B. Torrance, Extra oxygen in electron superconductors: Ce and Th doped $Nd_2CuO_{4+\delta}$ and $Gd_2CuO_{4+\delta}$ 160 (1989) 30
Morosin, B., see D.S. Ginley 160 (1989) 42
Murawski, L., see B. Kusz 160 (1989) 25
Murphy, D.W., see C.H. Chen 160 (1989) 375

Muthe, K.P., see S.C. Gadkari 160 (1989) 167
Muto, Y., see S. Nakajima 160 (1989) 458
Myhra, S., see A.E. Bocquet 160 (1989) 252

Nagase, K., see S. Nakajima 160 (1989) 458
Naito, M., see S. Kambe 160 (1989) 35
Naito, M., see S. Kambe 160 (1989) 243
Nakajima, S., M. Kikuchi, T. Oku, N. Kobayashi, T. Suzuki, K. Nagase, K. Hiraga, Y. Muto and Y. Syono, Over-doping of $Tl_2Ba_2CuO_6$ due to charge transfer Tl^{3-t}–$(Cu–O)^p$ 160 (1989) 458
Nakayama, Y., see A. Maeda 160 (1989) 443
Nakazawa, Y., see L. Rebelsky 160 (1989) 197
Narasimha Rao, C.V., see S.K. Agarwal 160 (1989) 278
Narasimha Rao, C.V., S.K. Agarwal, P. Maruthi Kumar, V.P.S. Awana and A.V. Narlikar, Disappearance and reappearance of superconductivity in higher hole concentration compounds of the $La_{2-x}Sr_xCuO_{4-y}$ system 160 (1989) 365
Narlikar, A.V., see S.K. Agarwal 160 (1989) 278
Narlikar, A.V., see C.V. Narasimha Rao 160 (1989) 365
Natarajan, V., see M.D. Sastry 160 (1989) 69
Nazzal, A.I., see E. Moran 160 (1989) 30
Neumüller, H.W. and G. Ries, Pinning model derived from resistive measurements on melt processed $Bi_2Sr_2CaCu_2O_8$ 160 (1989) 471
Nonaka, T., M. Green, K. Kishio, T. Hasegawa, K. Kitazawa, K. Kaneko and K. Kobayashi, Bi–Pb–Sr–Ca–Cu–O films fabricated by dip coating using the alkoxide–alkanolamine method 160 (1989) 517
Noritake, T., see M. Ohkubo 160 (1989) 480
Nygren, M., see M. Andersson 160 (1989) 65

Ohkubo, M., T. Kachi and T. Noritake, Ion-channeling analysis for epitaxial $YBa_2Cu_3O_x$ superconducting thin films by laser deposition 160 (1989) 480
Okabe, Y., see H. Matsuyama 160 (1989) 567
Oku, T., see S. Nakajima 160 (1989) 458
Oseroff, S.B., see A. Butera 160 (1989) 341
Otto, A. and J.B. Vander Sande, Superconducting properties and formation of $Yb_2Ba_4Cu_7O_{14-x}$ 160 (1989) 352

Peng, W., see B. Dabrowski 160 (1989) 281
Petricek, V., see Y. Gao 160 (1989) 431
Phatak, G.M., see R.M. Iyer 160 (1989) 155
Plakida, N.M., V.Yu. Yushankhai and I.V. Stasyuk, On the role of kinematic and exchange interactions in superconducting pairing of electrons in the Hubbard model 160 (1989) 80
Plecháček, V., see F. Gömöry 160 (1989) 1
Pokrovsky, V.L. and G.V. Uimin, On properties of localized holes in weakly doped high-T_c superconductors $La_{2-x}Sr_xCuO_4$ 160 (1989) 323
Polyanskii, A.A., see L.V. Gasparov 160 (1989) 147
Ponomarev, Ya.G., see B.A. Aminov 160 (1989) 505
Pramanik, P., see B.K. Roul 160 (1989) 439
Prandl, W., see J. Waliszewski 160 (1989) 189

Rai, R., Evidence of peroxotonic model of superconductivity from ESR results 160 (1989) 259
Rapp, Ö., see M. Andersson 160 (1989) 65
Rebelsky, L., J.M. Tranquada, G. Shirane, Y. Nakazawa and M. Ishikawa, Antiferromagnetism and oxygen ordering in $YBa_2Cu_3O_{6+x}$ 160 (1989) 197
Remova, A.A. and B.Ya. Shapiro, Anisotropic polarons and high temperature superconductivity of copper oxides 160 (1989) 202
Remova, A.A. and B.Ya. Shapiro, Anisotropic polarons and high temperature superconductivity of copper oxides, Physica C 160 (1989) 202. Erratum 160 (1989) 584
Richards, D.R., see B. Dabrowski 160 (1989) 281
Ries, G., see H.W. Neumüller 160 (1989) 471
Ristovski, Lj.M., B.S. Tošić and G.S. Davidović, The similarities between thin sputtered films and high-T_c superconductive ceramics 160 (1989) 548
Rojek, A., see K. Fischer 160 (1989) 466
Rosta, L., see B.A. Aminov 160 (1989) 505
Roul, B.K., P. Pramanik and K.L. Chopra, Structure of high-T_c superconducting Bi–Sr–Ca–Cu–O films prepared by spray pyrolysis 160 (1989) 439
Rusiecki, S., see J. Karpinski 160 (1989) 449

Sabharwal, S.C., see S.C. Gadkari 160 (1989) 167
Salem, J., see W.Y. Lee 160 (1989) 511
Sanchez, J.P., see J.A. Hodges 160 (1989) 49
Sandstrom, R.L., see W.Y. Lee 160 (1989) 511
Sastry, M.D., V. Natarajan, A.G.I. Dalvi and R.M. Iyer, Alpha irradiation effects on the superconductivity of $YBa_2Cu_3O_{7-x}$: microwave absorption investigations 160 (1989) 69
Sastry, M.D., see R.M. Iyer 160 (1989) 155
Sastry, P.V.P.S.S., see R.M. Iyer 160 (1989) 155
Sato, S., see H. Matsuyama 160 (1989) 567
Savoy, R., see W.Y. Lee 160 (1989) 511
Savvides, N., see S.X. Dou 160 (1989) 533
Sawa, H., see F. Izumi 160 (1989) 235
Sawatzky, G.A., see H. Eskes 160 (1989) 424
Schneemeyer, L.F., see C.H. Chen 160 (1989) 375
Schneemeyer, L.F., see D.J. Werder 160 (1989) 411
Seaman, C.L., see S. Ghamaty 160 (1989) 217
Senoussi, S., see L. Fruchter 160 (1989) 185
Setsune, K., see K. Hirochi 160 (1989) 273
Shapiro, B.Ya., see A.A. Remova 160 (1989) 202
Shapiro, B.Ya., see A.A. Remova 160 (1989) 584
Sheng, Z.Z., see J. Stankowski 160 (1989) 170
Sheng, Z.Z., see J.W. Ekin 160 (1989) 489
Shi, D., M. Xu, M.S. Boley and U. Welp, Temperature dependence of flux pinning in $YBa_2Cu_3O_x$ 160 (1989) 417
Shi, T., see Y. Zhao 160 (1989) 361
Shirane, G., see L. Rebelsky 160 (1989) 197
Sigmund, E., see V. Hizhnyakov 160 (1989) 119
Skanthakumar, S., H. Zhang, T.W. Clinton, W.-H. Li, J.W. Lynn, Z. Fisk and S.-W. Cheong, Magnetic phase transitions and structural distortion in Nd_2CuO_4 160 (1989) 124

Skjeltorp, A.T., see Z.J. Yang 160 (1989) 461
Smith, G.B., J.M. Bell, S.W. Filipczuk and C. Andrikidis, Temperature, field and grain size dependence of flux pinning in high-T_c superconductors 160 (1989) 333
Song, K.H., see S.X. Dou 160 (1989) 533
Sorrell, C.C., see S.X. Dou 160 (1989) 533
Stankowski, J., B. Czyzak, M. Krupski, J. Baszynski, T. Datta, C. Almasan, Z.Z. Sheng and A.M. Hermann, Pressure study of T_c and Josephson absorption in $YBa_2Cu_3O_{7-\delta}$ and Tl–Ca–Ba–Cu–O superconductors 160 (1989) 170
Stasyuk, I.V., see N.M. Plakida 160 (1989) 80
Steren, L.B., see A. Butera 160 (1989) 341
Stizza, S., see B. Kusz 160 (1989) 25
Su, M.-Y., C.E. Elsbernd and T.O. Mason, n-type vs. p-type semiconduction at high temperatures in oxide superconductors 160 (1989) 114
Sudakova, M.V., see B.A. Aminov 160 (1989) 505
Suzuki, T., see S. Nakajima 160 (1989) 458
Syono, Y., see S. Nakajima 160 (1989) 458

Takács, S., see F. Gömöry 160 (1989) 1
Takahashi, T., see H. Matsuyama 160 (1989) 567
Takata, T., see T. Miyatake 160 (1989) 541
Takebayashi, S., see A. Maeda 160 (1989) 443
Tan, Z., J.I. Budnick, B.L. Chamberland and G. Tourillon, Phase decomposition in nominal La_xCuO_4 ($x \leq 2.00$) determined by extended X-ray absorption fine structure 160 (1989) 571
Tanaka, I., see S. Kambe 160 (1989) 35
Tanaka, I., see S. Kambe 160 (1989) 243
Tanaka, K., see H. Matsuyama 160 (1989) 567
Tanaka, S., see T. Miyatake 160 (1989) 541
Tartakovskii, I.I., see A.A. Maksimov 160 (1989) 249
Tewari, S.P. and P.K. Gumbar, Effect of crystal anisotropy on superconductivity in zinc 160 (1989) 545
Thierfeldt, S., see K. Fischer 160 (1989) 466
Thompson, J.G., see A.E. Bocquet 160 (1989) 252
Thuy, N.M., see B.A. Aminov 160 (1989) 505
Timofeev, V.B., see L.V. Gasparov 160 (1989) 147
Timofeev, V.B., see A.A. Maksimov 160 (1989) 249
Togano, K., see J.W. Ekin 160 (1989) 489
Torardi, C.C., see D. Jung 160 (1989) 381
Torrance, J.B., see E. Moran 160 (1989) 30
Tošić, B.S., see Lj.M. Ristovski 160 (1989) 548
Tourillon, G., see Z. Tan 160 (1989) 571
Tovar, M., see A. Butera 160 (1989) 341
Tranquada, J.M., see L. Rebelsky 160 (1989) 197
Trefilov, A.V., see V.Yu. Irkhin 160 (1989) 397
Tretiakov, Yu.D., see B.A. Aminov 160 (1989) 505
Trofimova, V.A., see V.R. Galakhov 160 (1989) 267

Uchinokura, K., see A. Maeda 160 (1989) 443
Uimin, G.V., see V.L. Pokrovsky 160 (1989) 323

Uusimäki, A., see J. Hagberg 160 (1989) 369

Vander Sande, J.B., see A. Otto 160 (1989) 352
Venturini, E.L., see D.S. Ginley 160 (1989) 42
Vilminot, S., R. Kuentzler, Y. Dossmann, A. Derory and M. Drillon, Superconductivity, magnetism and low temperature specific heat in $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ with $\delta \simeq 0$ and $\delta \simeq 1$ 160 (1989) 575
Vincent, E., see A. Bertomptto 160 (1989) 227

Wacenovsky, M., H.W. Weber, O.B. Hyun, D.K. Finnemore and K. Mereiter, Magnetization and susceptibility of grain-aligned $HoBa_2Cu_3O_{7-\delta}$ superconductors 160 (1989) 55
Waliszewski, J., N.H. Andersen, L. Dobrzyński, J. Ihringer, B. Lebech, W. Prandl and A. Wisniewski, X-ray, neutron and magnetization studies of $YBa_2Cu_3O_{7-x}$ irradiated by fast neutrons 160 (1989) 189
Wasa, K., see K. Hirochi 160 (1989) 273
Waszczak, J.V., see D.J. Werder 160 (1989) 411
Weber, H.W., see M. Wacenovsky 160 (1989) 55
Weller, M.T., see B. Jayaram 160 (1989) 17
Welp, U., see D. Shi 160 (1989) 417
Wen, J.G., see C.Y. Yang 160 (1989) 161
Werder, D.J., see C.H. Chen 160 (1989) 375
Werder, D.J., C.H. Chen, M. Gurvitch, B. Miller, L.F. Schneemeyer and J.V. Waszczak, $Ba_2YCu_3O_{7-\delta}$ crystal surface layers: orthorhombic splitting, dislocations, and chemical etching 160 (1989) 411
Whangbo, M.-H., see D. Jung 160 (1989) 381
Whitehead, J.P., see B.J. Yuan 160 (1989) 287
Wisniewski, A., see J. Waliszewski 160 (1989) 189
Wittig, J., see B.A. Aminov 160 (1989) 505
Wu, M., see Y. Zhao 160 (1989) 361

Xie, L., see Y. Zhao 160 (1989) 361
Xu, M., see D. Shi 160 (1989) 417

Yagishita, A., see H. Matsuyama 160 (1989) 567
Yakhmi, J.V., see R.M. Iyer 160 (1989) 155
Yamaguchi, K., see T. Miyatake 160 (1989) 541
Yamamoto, T., see T. Fukami 160 (1989) 391
Yamazaki, H., see H. Maruyama 160 (1989) 524
Yan, Y.F., see C.Y. Yang 160 (1989) 161
Yang, C.Y., J.G. Wen, Y.F. Yan and K.K. Fung, An electron microscopy study of Pb-doped $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10}$ 160 (1989) 161
Yang, Z.J., T.H. Johansen, H. Bratsberg, G. Helgesen and A.T. Skjeltorp, Vibrations of a magnet levitated over a flat superconductor 160 (1989) 461
Yarmoshenko, Yu.M., see V.R. Galakhov 160 (1989) 267
Ye, J., see Y. Gao 160 (1989) 431
Yoshikawa, Y., see H. Maruyama 160 (1989) 524
Yuan, B.J. and J.P. Whitehead, The transition temperature of a self-similar multilamellar superconductor 160 (1989) 287

Yushankhai, V.Yu., see N.M. Plakida 160 (1989) 80

Zahurak, S., see C.H. Chen 160 (1989) 375
Zhang, H., see S. Skanthakumar 160 (1989) 124
Zhao, Y., L. Xie, E. Zhou, T. Shi, M. Wu and S. Hu, Effect of hydrogen treatment on some properties of $BiSrCaCu_2O_x$ 160 (1989) 361
Zhou, E., see Y. Zhao 160 (1989) 361
Zysler, R., see A. Butera 160 (1989) 341

ANALYTIC SUBJECT INDEX TO VOLUME 160

1/*f* noise
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 443

Absorption spectra
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ thin film 273
AC magnetization measurements 1
Anisotropy resistivity
– of $La_{2-x}Sr_xCuO_{4-\delta}$ single crystal 35
Annealing conditions
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ 511
Antiferromagnetisation
– of $YBa_2Cu_3O_{6+\delta}$ 197
Antimagnetic order
– in $Bi_2Sr_2YCu_2O_{8.37}$ 136

Band calculation
– of $Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$ 381
– of $TlBa_2Ca_{n-1}Cu_nO_{2n+3}$ 381
Bi–Sr–Ca–Cu–O thin film
– prepared by spray analysis 439
Broadening of the resistive transition
– of $(La,Sr)_2CuO_{4-\delta}$ 243

Coprecipitation method of synthesizing
– of Bi–Pb–Sr–Ca–Cu–O 369
Correlation of T_c with structure in the DOS 497
Critical current
– of $HoBa_2Cu_3O_{7-\delta}$ (grain aligned) 55
– of $Pb_{0.3}Bi_{0.7}SrCaCu_{1.8}O_x$ 489
– of $Tl_2Ca_2Ba_2Cu_3O_{10}$ 489
– of $Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$ thin film 42
– of $Yb_2Ba_4Cu_7O_{14-\delta}$ 352
– of $YBa_2Cu_3O_{7-\delta}$ 489
Crystal anisotropy effect
– on superconductivity in Zn 545
Crystal surface layers
– of $Yba_2Cu_3O_{7-\delta}$ single crystal 411

Dip coating
– of Bi–Pb–Sr–Ca–Cu–O films 517
Doping
– of $Tl_2Ba_2CuO_6$ 458
Doping by Pb and Sb
– of $Bi_2Sr_2Ca_2Cu_3O_7$ 466

Elastic modules of flux line lattice 328
Electron diffraction
– of $Nd_2CuO_{4-x}F_x$ 375
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 375
Electronic structure
– of $Nd_2CuO_{4-\delta}$ 129
Eliashberg theory of superconductivity 305
Etching
– of $Yba_2Cu_3O_{7-\delta}$ single crystal 411
EXAFS
– of $La_2CuO_{4-\delta}$ 571
EXAFS spectrum
– of $YBa_2Cu_3O_{7-\delta}$ 524

Fast neutron irradiation effect
– on $YBa_2Cu_3O_{7-\delta}$ 189
Flux pinning
– in $YBa_2Cu_3O_{7-\delta}$ 417
– of $Bi_2Sr_2CaCu_2O_8$ 471
Flux pinning in high T_c superconductors 333

High pressure synthesis
– of $YBa_2Cu_{3.7}O_{7.5}$ single crystal 449
– of $YBa_2Cu_4O_8$ single crystal 449
High-T_c superconductive ceramics 548
Hubbard Hamiltonian
– for Cu_2O_7 cluster 424
– for Cu_2O_8 cluster 424
Hubbard model 80
Hydrogen treated $BiSrCaCu_2O_x$ 361

Idiometric titration technique 30
Incommensurate modulation
– in $Bi_2Sr_{2-x}Cu_xCuO_6$ 431
Interaction with Ag
– of Bi–Pb–Sr–Ca–Cu–O 533
Internal friction measurements
– of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$ 25
Ion-channeling analysis
– of $YBa_2Cu_3O_x$ thin film 480
Irradiation effect of α-particles
– on $YBa_2Cu_3O_{7-\delta}$ 69
Irreversible magnetization measurements
– of $YBa_2Cu_3O_{7-\delta}$ single crystal 185
Isotope effect 314

Jonker plot 114
Josephson junctions
– in $Bi_2Sr_2CaCu_2O_8$ 505
– in $YBa_2Cu_3O_7$ 505
Josephson sandwich 317

Mössbauer effect
– of $ErBa_2Cu_3O_{7-\delta}$ 49
Mössbauer spectra
– of $Pb_{0.3}Bi_{1.8-x}Sb_xCa_2Cu_3O_{7+\delta}$ 281
Magnetoresistance
– of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 167
Magnetic structure
– of $Nd_2CuO_{4-\delta}$ 124
Microwave absorption
– of $YBa_2Cu_3O_{7-\delta}$ 69
– of $YBa_2Cu_3O_{7-\delta}$ single crystal 223
Microwave absorption under high pressure 170

Neutron diffraction
– of $Nd_2CuO_{4-\delta}$ 124
– of $YBa_2Cu_3O_{6+\delta}$ 197
NMR
– of $Nd_{2-x}Ce_xCu_{4-\delta}$ $(0 \le x \le 0.2)$ 8
NQR
– of $Nd_{2-x}Ce_xCu_{4-\delta}$ $(0 \le x \le 0.2)$ 8
NQR of Cu
– in $REBa_2Cu_3O_{7-\delta}$ (RE=Nd,Sm,Eu,Gd,Ho,Er,Yb) 177

Oxygen content
– of $Gd_{2-x}(Th\text{ or }Ce)_xCuO_{4+\delta}$ 30
– of $Nd_{2-x}(Th\text{ or }Ce)_xCuO_{4+\delta}$ 30
Oxygen ordering
– of $YBa_2Cu_3O_{6+\delta}$ 197
Oxygen stiochiometry
– of $YBa_2Cu_3O_{7-\delta}$ 73

Percolation induced conductivity 119
Peroxitonic model 259
Phase diagram
– of $YBa_2Cu_3O_{6+2x}$ 345
Phase diagrams
– of $YBa_2Cu_{3.7}O_{7.5}$ single crystal 449
– of $YBa_2Cu_4O_8$ single crystal 449
Polarons 197
Preparation
– of $YBa_2Cu_4O_8$ 541
Pressure effect of T_c
– on $Sm_{1.85}Th_{0.15}CuO_{4-\delta}$ 320
Pseudo spin ferromagnetic model 397

Raman scattering
– of Eu_2CuO_4 249
– of $Gd_2CuO_{4-\delta}$ 249
– of $La_2CuO_{4-\delta}$ 249
– of $Tl_2Ba_2CaCu_2O_{7-\delta}$ 147
– of $TlBa_2CaCuO_{6-\delta}$ single crystal 147
Reflectivity
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ thin film 273
Resistive transition
– in $Bi_2Sr_2CaCu_2O_8$ thin film 391
Resistivity
– of $Bi_2Sr_2Ca_{1-x}RE_xCu_2O_{8+\delta}$ (RE=Nd,Sm,Gd,Dy) 17
– of $La_{2-x}Sr_xCuO_{4-\delta}$ single crystal 35
Role of Ca-vacancies on T_c 155
Rutherford backscattering
– of $YBa_2Cu_3O_x$ thin film 480
RVB superconductivity 89

SEM
– of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 161
Specific heat
– of $Bi_2Sr_2YCu_2O_{8.37}$ 136
– of Ln_2CuO_4 (Ln=Pr,Nd,Sm,Eu,Gd) 217
– of $Nd_{1.85}M_{0.15}CuO_{4-\delta}$ (M=Ce,Th) 217
– of $YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$ 575
Structural distortion
– of $Nd_2CuO_{4-\delta}$ 124
Structure
– of $(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+\delta}$ 235
– of $BaCu_3O_4$ 227
– of $YBa_2Cu_3O_{7-\delta}$ 189
Structure of new satellite phase
– in $YBa_2Cu_3O_{7-\delta}$ 227
Superconducting Josephson lattice network 103
Superconductivity in Hubbard model 80
Superlattice modulation
– of $Nd_2CuO_{4-x}F_x$ 375
– of $Nd_{2-x}Ce_xCuO_{4-\delta}$ 375

T_c for multilamellar superconductors 287

Transmission electron diffraction
– of $Yba_2Cu_3O_{7-\delta}$ single crystal 411
Transmission Electron Microscopy (TEM)
– of $(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$ 161
Tunnel junction in RVB model 89

Vibrating reed technique 25
Vibration of a levitated magnet 461

Weak ferromagnetism
– of Gd_{2-x}(Ce or Th)$_xCuO_{4-\delta}$ 341

XPS
– in $Bi_2Sr_2CaCu_2O_{8+\delta}$ single crystal 567
XPS spectra
– of $La_{1+x}Sr_xCoO_{3-\delta}$ 252
X-ray K edge spectra
– of $Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$ 267
– of $La_{1.83}Sr_{0.17}CuO_{4-\delta}$ 267

MATERIALS SUBJECT INDEX TO VOLUME 160

$(Ba_{1-x}Nd_x)_2(Nd_{1-y}Ce_y)_2Cu_3O_{8+\delta}$
– structure 235
$BaCu_3O_4$
– structure 227
$(Bi_{1-x}Pb_x)_2Sr_2Ca_2Cu_3O_{10+\delta}$
– SEM 161
– Transmission Electron Microscopy (TEM) 161
$Bi_2Sr_2Ca_{1-x}RE_xCu_2O_{8+\delta}$
– resistivity 17
$Bi_2Sr_2Ca_2Cu_3O_7$
– doping by Pb and Sb 466
$Bi_2Sr_2CaCu_2O_8$
– flux pinning 471
– Josephson junctions 505
– resistive transition 391
$Bi_2Sr_2CaCu_2O_{8+\delta}$
– $1/f$ noise 443
– magnetoresistance 167
– XPS 567
$Bi_2Sr_2YCu_2O_{8.37}$
– antimagnetic order 136
– specific heat 136
$Bi_2Sr_{2-x}Cu_xCuO_6$
– incommensurate modulation 431
$Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_{10+\delta}$
– internal friction measurements 25
$Bi_4Ca_3Sr_3Cu_4O_{16+\delta}$
– X-ray K edge spectra 267
Bi–Pb–Sr–Ca–Cu–O
– coprecipitation method of synthesizing 369
– dip coating 517
– interaction with Ag 533

Cu_2O_7
– Hubbard Hamiltonian 424
Cu_2O_8
– Hubbard Hamiltonian 424

$ErBa_2Cu_3O_{7-\delta}$
– Mössbauer effect 49
Eu_2CuO_4
– Raman scattering 249

$Gd_2CuO_{4-\delta}$
– Raman scattering 249
$Gd_{2-x}(Th\ or\ Ce)_xCuO_{4+\delta}$
– oxygen content 30

$Gd_{2-x}(Th\ or\ Ce)_xCuO_{4-\delta}$
– weak ferromagnetism 341

$HoBa_2Cu_3O_{7-\delta}$
– critical current 55

$La_{1+x}Sr_xCoO_{3-\delta}$
– XPS spectra 252
$La_{1.83}Sr_{0.17}CuO_{4-\delta}$
– X-ray K edge spectra 267
$La_2CuO_{4-\delta}$
– EXAFS 571
– Raman scattering 249
$La_{2-x}Sr_xCuO_{4-\delta}$
– resistivity 35
$La_{2-x}Sr_xCuO_{4-\delta}$
– anisotropy resistivity 35
$(La,Sr)_2CuO_{4-\delta}$
– broadening of the resistive transition 243
Ln_2CuO_4
– specific heat 217

$Nd_{1.85}M_{0.15}CuO_{4-\delta}$
– specific heat 217
$Nd_2CuO_{4-\delta}$
– electronic structure 129
– magnetic structure 124
– neutron diffraction 124
– structural distortion 124
$Nd_2CuO_{4-x}F_x$
– electron diffraction 375
– superlattice modulation 375
$Nd_{2-x}Ce_xCu_{4-\delta}$
– NMR 8
– NQR 8
$Nd_{2-x}Ce_xCuO_{4-\delta}$
– absorption spectra 273
– electron diffraction 375
– reflectivity 273
– superlattice modulation 375
$Nd_{2-x}(Th\ or\ Ce)_xCuO_{4+\delta}$
– oxygen content 30

$Pb_{0.3}Bi_{0.7}SrCaCu_{1.8}O_x$
– critical current 489
$Pb_{0.3}Bi_{1.8-x}Sb_xCa_2Cu_3O_{7+\delta}$
– Mössbauer spectra 281
$REBa_2Cu_3O_{7-\delta}$
– NQR of Cu 177

$Sm_{1.85}Th_{0.15}CuO_{4-\delta}$
– pressure effect of T_c 320

$Tl_2Ba_2CaCu_2O_{7-gd}$
– Raman scattering 147
$Tl_2Ba_2Ca_{n-1}Cu_nO_{2n+4}$
– band calculation 381
$Tl_2Ba_2CuO_6$
– doping 458
$Tl_2Ca_2Ba_2Cu_3O_{10}$
– annealing conditions 511
– critical current 489
$Tl_2Ca_2Ba_2Cu_3O_{10+\delta}$
– critical current 42
$TlBa_2CaCuO_{6-gd}$
– Raman scattering 147
$TlBa_2Ca_{n-1}Cu_nO_{2n+3}$
– band calculation 381

$Yb_2Ba_4Cu_7O_{14-\delta}$
– critical current 352
$YBa_2(Cu_{1-x}Fe_x)_3O_{7-\delta}$
– specific heat 575
$YBa_2Cu_{3.7}O_{7.5}$
– high pressure synthesis 449
– phase diagrams 449
$YBa_2Cu_3O_{6+2x}$
– phase diagram 345
$YBa_2Cu_3O_{6+\delta}$
– antiferromagnetisation 197
– neutron diffraction 197
– oxygen ordering 197
$YBa_2Cu_3O_7$
– Josephson junctions 505
$YBa_2Cu_3O_{7-\delta}$
– critical current 489
– crystal surface layers 411
– etching 411
– EXAFS spectrum 524
– fast neutron irradiation effect 189
– flux pinning 417
– irradiation effect of α-particles 69
– irreversible magnetization measurements 185
– microwave absorption 69, 223
– oxygen stiochiometry 73
– structure 189
– structure of new satellite phase 227
– transmission electron diffraction 411
$YBa_2Cu_3O_x$
– ion-channeling analysis 480
– Rutherford backscattering 480
$YBa_2Cu_4O_8$
– high pressure synthesis 449
– phase diagrams 449
– preparation 541